

M/S BLUE MOUNTAIN GRANITES

**VELLIKULANGARA POST, CHALAKUDY
THRISSUR DISTRICT,**

COMPLIANCE REPORT

October 2019 – March 2020

**Blue Mountain Granites**

Vellikulangara P.O., Trichur Dt. Kerala, Pin - 680 699
Tel : 0480 - 2743231, 2741432

Dt. 06-06-2020

The Additional Principal Chief Conservator of Forests (C)
Ministry of Environment, Forests & Climate Change,
4th Floor, E& F Wing, Kendriya Sadan,
Koramangala, Bangalore - 560034

Ref :- File No. 626/SEIAA/EC1/4809/2014

**Sub :- Environment Clearance – Quarry project at Vellikulangara Village,
Mattathur Panchayat, Chalakudy Taluk, Thrissur District, Kerala – Compliance
Report – Second half – Reg.**

Respected Sir,

The Quarry (Building stone) project was accorded Environmental Clearance for 3.0352 Ha. by order No. **626/SEIAA/EC1/4809/2014**, dated 05/02/2016 by State Environmental Impact Assessment Authority, Kerala. The compliance report of **Second Half** (October 2019 – March 2020) to the specific and general conditions of the Environment Clearance order is enclosed.

Thanking you,

Yours respectfully,

For M/s Blue Mountain Granites


Benny Pathrose
(Partner)

Encl: - As Above

Copy to : The Chairman & The Member Secretary
State Environment Impact Assessment Authority (SEIAA)
'Devi Kripa', Pallimukku,
Pettah P.O., Thiruvananthapuram,
Kerala – 695 024.

Manufacturers of Aggregates

COMPLIANCE REPORT
TO
THE CONDITIONS
OF
ENVIRONMENTAL CLEARANCE ORDER
NO: 626/SEIAA/EC1/4809/2014
DATED: 05-02-2016

BY
STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY (SEIAA)
FOR
BUILDING STONE QUARRY
(MINOR MINERAL MINING) PROJECT

AT
SURVEY NO. 1982, VELLIKULANGARA VILLAGE, MATTATHUR
PANCHAYAT, CHALAKUDY TALUK,
THRISSUR DISTRICT,
KERALA

BY
M/S BLUE MOUNTAIN GRANITES,
VELLIKULANGARA POST, CHALAKUDY
THRISSUR DISTRICT,
KERALA-680699

INDEX

SL. No.	PARTICULARS	PAGE No.
1.	Introduction	6
2.	Compliance Report – Specific conditions – Part A	7
3.	Compliance Report – General conditions – Part B	10
4.	Annexure	27

LIST OF TABLES

TABLE No.	PARTICULARS	PAGE No.
1.	Details of the vegetation existing along the road side	11
2.	Details of saplings planted as part of eco - restoration	12
3	The details of performed activities under CSR	13
4	The details of the CSR	14
5	The details of statutory approvals	22
6	Details of news paper where advertisement published	24

LIST OF ANNEXURE

ANNEXURE No.	PARTICULARS	PAGE No.
1	Copy of the “ <i>Consent to Operate</i> ” from Kerala State Pollution Control Board	28
2	Copy of E C order	29
3	Copy of Explosive License issued by the Ministry of Commerce & Industry – Petroleum & Explosives Safety Organization (PESO)	30
4	Copy of License for quarry operations from <i>Gram</i> Panchayath	32
5	Copy of permit order form Director of Mining and Geology	33
6.	Copy of the certificate of Licensed Persons	35
7.	Copy of advertisement in news papers	38
8.	Copy of monitoring report of ambient air	39
9.	Copy of monitoring report of sound level.	40
10	Copy of monitoring report of water	41

INTRODUCTION

The quarry project of **M/s Blue Mountain Granites** is situated at Survey No. 1982, Vellikulangara Village, Mattathur Panchayat, Chalakudy Taluk, Thrissur District, Kerala.

The quarry project was accorded with the Environmental Clearance (EC) by State Environmental Impact Assessment Authority on 05-02-2016. As part of general condition No.37 of Environmental Clearance order, half yearly compliance report needs to be submitted by the project proponent. The compliance report of first half to the specific conditions and general conditions of the Environmental Clearance order for the period of **October 2019 – March 2020** is being submitted.

COMPLIANCE REPORT
(SPECIFIC CONDITIONS)
PART A

Specific Conditions

1	Fencing should be provided all around the lease area. The mandatory buffer distance must be left by the side of forest teak plantation, road and H T line.	Complied
----------	---	-----------------

Compliance

As part of direction and to demarcate the lease area and to enhance safety, the project proponent has installed fencing around the area where lease obtained to. As per the stipulation, mandatory buffer distance has left from teak plantation, 100 meter distance to H T line and village road from the project site.

2	Overburden must be stored in the designated places and provided with protective support walls	Complied
----------	--	-----------------

Compliance

To preserve the overburden for future eco restoration and internal use stacked at designated place. To conserve this project has staked the ordinary earth in a designated place. To prevent erosion of top soil during monsoon season, the project proponent has planted grass on the heap of topsoil. To prevent sliding, the project has constructed strong protective support walls.

3	The RWH structure and water clarification mechanism provided must be maintained throughout. Periodic de siltation is mandatory	Complied
----------	---	-----------------

Compliance

To conserve rain water, the Project proponent has developed a Rain water harvesting pond. The project proponent provided de siltation mechanism in the quarrying area. All runoff from the project site is collected in the de siltation pond so that all sediments can settle down at the bottom of the pond. This mechanism is maintaining throughout for preventing quarry waste entering in to the main stream. The project proponent is clearing sediments periodically from the pond.

4	Steps should be taken to limit fly rock within the lease area	Complied
---	---	----------

Compliance

To prevent fly rock, the project proponent is using blast mat and electric and ordinary delayed detonator for blasting. The blasting will be under the supervision of a qualified person. During blasting, optimum delay sequence is maintained and stem to column ratio is maintained to minimize the fly rock distance. Therefore, there is no issue with fly rock in the community and the project is also assured that the maximum PPV is under 10.

COMPLIANCE REPORT

(GENERAL CONDITIONS)

PART B

PART – B – GENERAL CONDITIONS

1	Rain Water Harvesting capacity should be installed as per the prevailing provisions of KMBR / KPBR, unless otherwise specified elsewhere.	Complied
----------	--	-----------------

Compliance

As part of conserve rain water and to reduce ground water extraction, the project proponent has developed rain water harvesting pond in the project site to collect rain water falling in the entire mining area. To utilize the rain water, this Rain Water Harvesting (RWH) structure is properly maintaining in the area. The ponds were situated at the lowest level of project site. The water from pond is mainly used for crusher work, watering of plants, wetting of roads and sprinkler system for contain dust emission.

2	Environment Monitoring Cell (EMC) as agreed under the affidavit filed by the proponent should be formed and made functional.	Complied
----------	---	-----------------

Compliance

To monitor mining activity, the Environmental Monitoring Cell (EMC) was formed and made functional with Mr. Eldhose Kuriakose(Partner) as head of the monitoring cell. The EMC meeting convenes regularly for a sustainable environment. The details of the monitoring cell are given below:

TABLE 1 ENVIRONMENTAL MONITORING CELL (EMC)

Sl. No.	Post		Name
1.	Head of the monitoring cell	:	Eldhose Kuriakose
2.	Member	:	Basavaraj Swamy
3.	Member	:	Ajesh Sebastian

3	Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, inclusive of approach road and internal roads.	Complied
----------	--	-----------------

Compliance

The project proponent has been planting many saplings along the road side to prevent dust emission during transportation of materials. There are natural vegetation including trees, shrubs, herbs and climbers present either side of tarred road and in the parking areas. This helps to reduce air and sound pollution. The details of vegetation are given below.

TABLE No. 2 - Details of the natural vegetation existing along the road side

Sl. No.	Scientific Name	Common Name	Family	Type
1.	<i>Nephelium lappaceum</i>	Rambutan	Sapindaceae	Tree
2	<i>Psidium</i>	pera	Myrtaceae	Tree
3	<i>Mangifera indica</i>	Mavu	Anacardiaceae	Tree
4	<i>Hevea brasiliensis</i>	Rubber	Euphorbiaceae	Tree
5	<i>Swietenia mahagoni</i>	Mahagony	<i>Meliaceae</i>	Tree
6	<i>Bambusa bambos</i>	Mula	<i>Poaceae</i>	Herb
7	<i>Chromolaena odorata</i>	Communist-pacha	Compositae	Shrub
8	<i>Cocos nucifera</i>	Thengu / Coconut	Arecaceae	Tree
9	<i>Tectona grandis</i>	Thekku	Verbenaceae	Tree

04	Maximum possible solar energy generation and utilization shall be ensures as an essential part of the project.	Noted
----	--	-------

Compliance:

To reduce the consumption of electricity from the conventional sources, the project will install solar street lights to use maximum renewable energy to reduce electrical consumption from KSEB. As part of this, the project proponent could reduce the use of energy from conventional sources.

05	Sprinklers shall be installed and used in the project site to contain dust emissions.	Complied
----	---	----------

Compliance:

The project proponent has deployed a tanker vehicle to splash water to prevent dust emission. sprinklers are installed in the project site. The sprinklers installed in and around the crusher unit. To arrest the dust emission from the approach road and the haulage road,

06	Eco-restoration including the mine closure plan shall be done at the own cost of the project proponent.	Noted
-----------	--	--------------

Compliance:

The project started to plant various saplings in and around the project site. The list of tree/shrub/herb saplings planted in the project site is given below. The mine closure plan will be done at the own cost of project proponent as agreed in the proposal. The planted and proposed sapling to be planted in the project site is given below in the **table No. 3**.

TABLE 3 - Details of the saplings planted within the project area

Sl. No.	Scientific Name	Common Name	Family	Habitat
1	<i>Mangifera indica</i>	Mavu	<i>Anacardiaceae</i>	Tree
2	<i>Capsicum frutescens</i>	Kantharimulaku	<i>Solanaceae</i>	Herb
3	<i>Carica papaya</i>	Papaya	<i>Caricaceae</i>	Tree
4	<i>Artocarpus heterophyllus</i>	Plavu	<i>Moraceae</i>	Tree
5	<i>Curcuma longa</i>	Manjal	<i>Zingiberaceae</i>	Herb
6	<i>Cocos nucifera</i>	Thengu	<i>Arecaceae</i>	Tree
7	<i>Musa paradisiaca</i>	Vazha	<i>Musaceae</i>	Herb
8	<i>Swietenia mahagoni</i>	Mahagony	<i>Meliaceae</i>	Tree
9	<i>Tectona grandis</i>	Thekku	<i>Verbenaceae</i>	Tree
10	<i>Hevea brasiliensis</i>	Rubber	<i>Euphorbiaceae</i>	Tree

07	At least 10 percent out of the total excavated pit area should be retained as water storage areas and the remaining area should be reclaimed with stacked dumping and overburden and planted with indigenous plant species that are eco-friendly.	Noted
-----------	--	--------------

Compliance:

To make quarried pit as water reservoir, ten percent of the excavated pit area will be retained as water storage area. This will help to improve the ground water table. It is proposed to develop a green belt in the remaining area with indigenous plant species after reclamation of the mined area with stacked top soil and overburden. This stored water can be used for community during drought prone season.

08	Corporate Social Responsibility (CSR) agreed upon by the proponent should be implemented	complied
-----------	---	-----------------

Compliance:

The activities under Corporate Social Responsibility (CSR) activities are executed in the sector of Health, sports, education, marriage, death etc. The project proponent is intending to carry out more activities under CSR for inclusive growth in the community. The details are given below.

TABLE 4 - Details of activities performed under CSR

Date	Activity	Sector	Amount in Rs.
10-10-2019	Medical Aid - Thanka, Ithonoly colony	Health	1,000.00
08-11-2019	Medicine to Colony Lady	Health	250.00
09-11-2019	Medical aid to Cancer Patient	Health	200.00
21-11-2019	Thilakamani	Health	1,500.00
23-11-2019	Donation	Donation	1,000.00
28-11-2019	Medical Aid - Thanka, Ithonoly colony	Health	200.00
02-12-2019	Medicine to Colony Lady	Health	500.00
06-12-2019	Ambalathara Temple Festival	Culture	1,000.00
06-12-2019	Medical Aid - Thanka, Ithonoly colony	Health	1,200.00
16-12-2019	KSEB Madakkathara	Energy	5,000.00
17-12-2019	Medical aid to Cancer Patient	Medical	500.00
24-12-2019	Union Workers	Health	1,000.00
25-01-2020	Holy Family Church, Vellikulangara - Notice Advertisement	Cultural	5,000.00
10-02-2020	Adivasi Dalit Festival	Cultural	4,500.00
10-02-2020	Kattippokkam Kavadi Sangham	Cultural	3,000.00

10-02-2020	Vellikulangara Colony Kavadi	Cultural	3,000.00
12-02-2020	Medical Aid - Hospital Expenses	Health	1,000.00
12-02-2020	Vellikulangara Temple	Cultural	5,000.00
21-02-2020	Krishnan - Ithonoly Colony	Health	500.00
02-03-2020	Medical Aid - Sabu Ithanoly	Health	500.00
02-03-2020	Medical Aid - Thanka, Ithonoly colony	Health	1,000.00
20-03-2020	Covid 19 - Mask Distribution	Health	1,000.00
	Grand Total		37,850.00

09	The lease are shall be fenced off with barbed wires to a minimum height of 4ft around, before starting of mine.	Complied
-----------	--	-----------------

Compliance:

To enhance safety and demarcate the lease area, the project proponent has installed fencing around major part of the project site where Environmental Clearance and lease obtained. This will help to prevent falling of animals/human being/dumping of garbage etc.

10	Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per stipulations of Explosive Department.	Complied
-----------	--	-----------------

Compliance:

To give warning to the labours and community people prior to the blasting in quarry, the project installed warning alarms in the quarry site. This is properly working prior to the blasting time. This alarm can intimate the general public that the blasting is going to happen. The blasting time of the quarry is in between 12.01pm to 12.30 pm.

11	Control measures on noise and vibration prescribed by KSPCB should be implemented.	Complied
-----------	---	-----------------

Compliance:

The project proponent has implemented mitigate measures to reduce noise level in the project site,. The major noise generating sources from the mining activity is working machineries, drilling, blasting and plying of vehicles. The following control measures are undertaken to bringing down the noise levels:-

- Proper maintenance of machinery and equipments
- The machineries like breaker and excavator has well sound proof cabin so that the machine operators can work without stress due to the sound.
- Personal protective devices i.e., earmuffs, ear plugs etc. are provided to workers working in high noise areas.
- The mining activity held in day time only.

Blast vibrations and control measures

- ❖ Controlled blasting technique is adopted in this project in order to reduce blast vibrations.
- ❖ The maximum charge per delay is not more than 10kg to limit the PPV values to 10mm/sec.
- ❖ Optimum delay sequence and stem to column ratio is maintaining to minimize the ground vibration intensity.
- ❖ The project proponent has appointed qualified persons to monitor the mining operations

12	Quarrying activities should be limited to day time as per KSPCB guidelines.	Complied
----	---	----------

Compliance:

To reduce the adverse effect of Quarrying activities in the community, the mining activity will limit to day time as per KSPCB guidelines. The quarry working time is 8.00 am to 5.00 pm. This will help to limit the sound pollution.

13	Blasting should be done in a controlled manner as specified by the regulations of explosives department or any other	Complied
----	--	----------

	concerned agency.	
--	--------------------------	--

Compliance:

To reduce possible fly rock and other adverse impact, the blasting is carrying out in controlled manner by using ordinary delayed detonators. All blasting activities are carrying out with the stipulated guidelines of explosive department and other concerned agency.

14	A licensed person should supervise/control the blasting operations.	Complied
-----------	--	-----------------

Compliance:

To monitor the mining activity, the project has appointed Second Class Manager, foreman and mining mate to supervise/control the blasting operations for the exploitation of minor minerals in the project site. The copies of certificates of qualified persons are provided in **Annexure No. 6.**

15	Access roads to the quarry shall be tarred to contain dust emissions that may arise during transportation of materials.	Being Complied
-----------	--	-----------------------

Compliance:

The access road from the entrance of project site to quarry has tarred 500 meter and maintaining in good manner. The project propoent splashes water on the road to arrest the dust production during summer season. The project proponent is intending maintain access road to the quarry in good condition for dust emission and easiness of transportation of vehicles.

16	Overburden materials should be managed within the site and the old quarries, if any, should be restored.	Complied
-----------	---	-----------------

Compliance:

There is no old quarry in the site for restoration. The overburden materials are stored within the site at designated place. This will be used for plantation, haulage

roads and land filling in the mining area. No overburden will let out from the project site.

17	Height of the benches should not exceed 5m and width should not be less than 5m.	Being complied
-----------	---	-----------------------

Compliance:

To enhance safety and conserve environment, the project extracts the minerals by creating benches. The benches are 5 meters of height and the width of the bench have minimum of 5 meters.

18	Mats to reduce fly rock blast to a maximum of 10 PPV should be provided.	Noted
-----------	---	--------------

Compliance:

The project proponent is using blasting mat. The project proponent is using ordinary delayed detonator. The blasting is under the supervision of qualified person. The new technology of delayed blasting is reducing the incident of fly rock. Blasting during unfavorable weather conditions is avoided. During blasting it is maintaining optimum delay sequence and stem to column ratio to minimize the fly rock distance.

19	Maximum depth of mining from general ground level at site shall not exceed 10m.	Noted
-----------	--	--------------

Compliance:

The depth of mining won't exceed beyond 10 meter or not below the level of the nearest stream bed, whichever is less. The exploration will be done as per the plan submitted before State Environment Impact Assessment Authority (SEIAA), Kerala.

20	No mining operations should be carried out at places having a slope greater than 45°.	Noted
-----------	--	--------------

Compliance:

In the project site, there is no area with a slope greater than 45°. Therefore it is not necessary to explore from the slopes greater than 45°.

21	Acoustic enclosures should be provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB.	Complied
----	--	-----------------

Compliance:

To reduce sound amplification, the machines of crusher unit is housed with solid bricks. A green belt is also developed around the unit to reduce noise and air pollution. This helps the noise and sound level is kept within the prescribed standards. The labours in the unit are wearing ear plugs to reduce the impact of noise generating from the machines. The project proponent is maintained all machineries in a good manner.

22	The workers on the site should be provided with the required protective equipments such as ear muffs, helmet, etc	Complied
----	---	-----------------

Compliance:

To ensure health and safety of workers in working site, the project proponent provided adequate Personnel Protective Equipments (PPE) such as helmets, ear muffs, safety belts, gloves, etc. to labours in the quarry site.

23	Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.	Noted
----	--	--------------

Compliance:

As part of storm water management the project proponent has constructed clarifiers. All the storm water from the mining area is flowing in to the drainages created at lower slopes of mining area. The project proponent has created 2 tanks in

the lower slopes. The water is letting out only through the motor pumping from the collection point.

24	The transportation of minerals should be done in covered trucks to contain dust emissions.	Complied
----	---	-----------------

Compliance:

To avoid dust emission while transportation of materials, the project assures the trucks are covered before it leaving the project sites.

25	The proponent should plant trees at least 5 times of the loss that has occurred while clearing the land for the project.	being complied
----	---	-----------------------

Compliance:

The project proponent has been planting various saplings in the project area as a compensation of loss of trees while the project is clearing the land for mining. The list of tree saplings planted in the project site as part of eco-restoration is provided in **Table No 3.**

26	Disposal of spent oil from diesel engines should be as specified under relevant Rules/Regulations.	Noted
----	---	--------------

Compliance:

The project proponent is using the used oil as lubricant for machineries and other equipments. The spend oil is being sold only to the recyclers approved by Kerala Pollution Control Board.

27	Explosives should be stored in magazines in isolated place specified and approved by the explosives department.	Complied
----	--	-----------------

Compliance:

As per the stipulation of competent authority, the project has been stored the explosives in magazine. The magazine is situated in an isolated place specified and approved by the explosives department.

28	A minimum buffer distance of hundred meters from the boundary of the quarry to the nearest dwelling unit or other structures, not being any facility for mining shall be provided.	Complied
----	---	-----------------

Compliance:

To reduce the adverse impact on community life, the norms of Kerala State Pollution Control Board regarding the distance criteria of residences, roads, rivers and worship places is adhered by the project. The distance of the nearest house was 170 meter from the quarry, the KSPCB condition is 50 meter.

29	200 m buffer distance should be maintained from forest boundaries.	Noted
----	---	--------------

Compliance:

The project proponent has left adequate buffer distance from the quarry to the nearest teak plantation.

30	Consent from Kerala Pollution Control Board under water and Air act(s) should have been obtained before initiating activity.	Complied
----	---	-----------------

Compliance:

The Project has obtained “*Consent to Operate*” (Renewal) from Kerala State Pollution Control Board. The copy of consent is provided in **Annexure No.1**.

31	All other statutory clearances should have been obtained, as applicable, by project proponents from the respective competent authorities including that for blasting and storage of explosives.	Complied
----	--	-----------------

Compliance:

The certificates obtained from other concerned statutory authorities are enclosed in **Annexure No.1, 2, 3, 4 & 5**. The details are given below

TABLE 5 – APPROVALS FROM COMPETENT AUTHORITIES

Name of the Statutory approval	Name of the Statutory authority
Environmental Clearance order	State Environmental Impact Assessment Authority, Kerala
“Consent to Operate”	Kerala State Pollution Control Board
Explosive License	Ministry of Commerce & Industry – Petroleum & Explosives Safety Organization (PESO)
License for quarry operations	Gram Panchayath
Permit order	Directorate of Mining and Geology

32	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Authority	Noted
-----------	---	--------------

Compliance:

At present there is no change in the scope of the project. The project will seek for a new Environmental clearance in the case of any change(s) in the scope of the project.

33	The Authority reserves the right to add additional safe guard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	Noted
-----------	---	--------------

Compliance:

To enhance safety and eco friendly mining, the project is willing to incorporate all such measures if the authority instructs to add additional safeguard measures subsequently, the project will be complied with.

34	The stipulations by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act 1974, the Air (Prevention and Control of Pollution) Act 1981, The Environment (Protection) Act, 1986, the public liability (Insurance) Act, 1991 and EIA notification, 2006.	Noted
----	--	-------

Compliance:

The stipulated orders and directions under different act and notification including EIA notification will be scrupulously followed. A brief list of various Acts and notifications which are followed by the proponent is given below

1. **KMCCR 2015**
2. **The Environment Protection Act,1986**
3. **Water (Prevention and Control of Pollution) Act, 1974**
4. **The Air (Prevention and Control of Pollution) Act, 1981**
5. **The Public Liability (Insurance) Act,1991**
6. **Municipal Solid Waste (Management and Handling) Act,2016**
7. **Hazardous and Other Wastes (Management and handling) Rules, 2016.**
8. **EIA notification, 2006**

35	The project proponent should advertise in at least two local news papers widely circulated in the region, one which (both advertisement and the newspaper) shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the Department of Environment and Climate Change, Govt. of Kerala and may also be seen on the website of the Authority at www.seiaakerala.org . <u>The advertisement</u>	Complied
----	--	----------

	<u>should be made within 10 days from the date of receipt of the Clearance letter and the copy of the same signed in all pages should be forwarded to the office of this authority as confirmation.</u>	
--	--	--

Compliance:

An advertisement in two local daily newspapers (English and Malayalam) regarding Environmental Clearance accorded to the quarry project was given within the stipulated period and the copy of the same was submitted at SEIAA Kerala. . The copy of the advertisement given in two local newspapers is provided at **Annexure No.7**. The details are given below in the table.

Table No.6 - Details of news paper where advertisement published

News paper	Language	Date
Kerala Kaumudhi	Malayalam	10/03/2016
Indian Express	English	10/03/2016

36	A copy of the clearance letter shall be sent by the proponent to concerned Grama/District Panchayath / Municipality / Corporation / Urban Local Body and also to the Local NGO, if any from whom suggestions / representations, if any were received while processing the proposal. The Environmental Clearance shall also be put on the website of the company by the proponent.	Complied
----	--	-----------------

Compliance:

A copy of the Environment Clearance letter was submitted to the Panchayat Office. The project proponent did not receive any suggestions / representation from anywhere while the processing the proposal therefore did not give the copy of clearance letter to anyone.

37	The proponent shall submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hand copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the respective Regional Office of MoEF, Govt. of India and also the Directorate of Environment and Climate Change, Govt. of Kerala.	Complied
----	---	-----------------

Compliance:

The compliance report is being submitted to the State Environmental Impact assessment Authority, Kerala and the Regional Office of MoEF&CC, Bangalore both in hard copy as well as mail. The monitored data of Air, Water and Noise is attached as **Annexure No. 8, 9 & 10.**

38	The details of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3ft with green background and yellow letters of Times New Roman font of size of not less than 40. Sign board with extant of lease area and boundaries shall be depicted at the entrance of the quarry, visible to the public.	complied
----	---	-----------------

Compliance:

The detail of the Environmental Clearance is prominently displayed in a metallic board with the specific conditions as per specifications mentioned in the condition.

39	The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.	Complied
----	--	-----------------

Compliance:

An assurance in the form of affidavit was already submitted to SEIAA Kerala.


40	The above conditions shall prevail notwithstanding anything to the contrary; in consistent, or simplified, contained any other permit, license on consent given by any other authority for the same project.	Noted
----	--	-------

Compliance:

The project will give priority to the conditions stipulated in the Environment clearance Order for its execution.

ANNEXURE

Annexure No.1


KERALA STATE POLLUTION CONTROL BOARD

FILE NO. : PCB/TSR/IC/5069/08
Date of issue : 27/04/2017

INTEGRATED CONSENT TO OPERATE - RENEWAL

Consent No. : PCB/DO/TSR/R2/ICO/2758/2017

Ref. APPLICATION DATED : 27-01-17
CONSENT NO: PCB/DO/TSR/R1/ICO/2758/2014

The 'Integrated Consent to Operate' issued as per reference above to M/s BLUE MOUNTAIN GRANITES (QUARRY)
VELLIKULANGARA P.O THRISSUR - 680 693 is hereby renewed up to 30/04/2020 and issued to M/s BLUE MOUNTAIN GRANITES (QUARRY)
VELLIKULANGARA P.O THRISSUR - 680 693 The consent(s)/ variation order(s) cited under reference are integral part of this renewal order and this order is subject to the conditions stipulated therein and the following modifications/ additions.

I. GENERAL



S.No.	Items	Description
-------	-------	-------------

II. Stack Details

Stack No.	Source of Emission	Emission Rate (Nm ³ /Hr)	Stack Height above		Control Equipment
			Ground Level (In Meters)	Roof Level (In Meters)	

III. CONDITIONS


- 3.1 The PM₁₀ in ambient air at the boundary shall not exceed 100 µg/m³.
- 3.2 The PM_{2.5} in ambient air at the boundary shall not exceed 60 µg/m³.
- 3.3 The sound level (Leq) at 1m outside the boundary of the site should not exceed the ambient noise standard applicable to the adjoining areas.
- 3.4 Suspended particulate matter at the boundary of the premises shall not exceed the limit applicable to that area as per the National Ambient Air Quality Standards.
- 3.5 The consent issued from the Board shall be valid only for a period when all other statutory or necessary clearance from other concerned authorities.

Consent to operate

Annexure No. 2

SF


 सत्यमेव जयते

Validity expires on 04-02-2021

Proceedings of the State Environment Impact Assessment Authority
Kerala

*Present : Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini, Member and Sri. P. Mara Pandiyan, I.A.S.,
Member Secretary.*

Sub: SEIAA- Environmental Clearance for the proposed building stone quarry project in Survey No. 1982 at Vellikulangara Village, Mattathur Panchayath, Chalakkudy Taluk, Thrissur District by Sri. Mathew P Pathrose, Managing Partner, M/s Blue Mountain Granites -Granted- Orders issued.

STATE ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY

No. 626/SEIAA/EC1/4809/2014 *dated, Thiruvananthapuram 05-02-2016*

Read:- 1. Application dated 30-09-2014 submitted by Sri. Mathew P Pathrose, Managing Partner, M/s Blue Mountain Granites, Vellikulangara P.O., Chalakkudy, Thrissur – 680699

2. Minutes of the 45th meeting of SEIAA held on 04- 12- 2015.

3. Minutes of the 46th meeting of SEAC held on 29/30-09-2015.

4. Minutes of the 48th meeting of SEAC held on 06/07-11-2015.

5. Minutes of the 47th meeting of SEIAA held on 07-01-2016.

Environmental Clearance No. 12/2016.

Sri. Mathew P Pathrose, Managing Partner, M/s Blue Mountain Granites, Vellikulangara P.O., Chalakkudy, Thrissur – 680699 vide his application received on 09/10/2014 has sought Environmental Clearance under EIA Notification, 2006 for the quarry project in Sy. No. 1982 at Vellikulangara Village, Mattathur Panchayath, Chalakkudy Taluk, Thrissur District for an area of 3.0352 hectares. The project comes under Category B, Activity I(a), (i) as per the Schedule of EIA Notification 2006 (since it is below 50 hectares) and as per O.M. No. L-11011/47/2011-IA.II (M) dated 18th May 2012 of Ministry of Environment and Forests. It is further categorized as Category B2 as per the O.M. No. J-13012/12/2013-IA-II (I) dtd. 24.12.2013 of Ministry of Environment and Forests, since the area of the project is below 25 hectares.

2. The proposed project site falls in 10°21'57.69" N to 10°21'49.02" N Latitude and 76°25'09.87"E to 76°25'04.05"E Longitude. The land use classification as per revenue records is private own land with rocky area consists of 3.0352 hectares. Main rock type in the area is charnockite visible at some places and covered with soil of 0.15 m to 0.20 m. The area is undulated and slope towards southern side with highest elevation of the area is at 90m MSL and lowest is at 45 m MSL. The present land use is some native trees, shrubs, herbs etc. The proposed project is for quarrying of 120,000 MTA of building stone from an area of 3.0352 hectares of land. Domestic effluent will be discharged in septic tank and soak pit system. The quarry operation is

EC order

Annexure No.3

Page 1 of 2

Transferred from Mathew.M.Pathrose

अनुज्ञप्ति प्ररूप एन.ई.-3 | LICENCE FORM LE-3

(विस्फोटक नियम, 2008 की अनुसूची 4 के भाग 1 के अनुच्छेद 3(क) से (घ) देखिए।)
(See article 3(a) to (d) of Part I of Schedule IV of Explosives Rules, 2008)

(ग) उपयोग के लिए एक समय पर वर्ग 1,2,3,4,5 या वर्ग 7 के विस्फोटक या किसी मैगजीन में वर्ग 6 के विस्फोटक रखने के लिए अनुज्ञप्ति

Licence to possess : (c) for use, explosives of class 1, 2,3,4,5,6 or 7 in a magazine

अनुज्ञप्ति सं. (Licence No.): E/SC/KL/22/862(E40290)
वार्षिक फीस रुपए (Annual Fee Rs): 2400/-

1. Licence is hereby granted to

Shri Benny Pathrose (अभिभोगी / Occupier : Shri Benny Pathrose), Blue Mountain Granite, Vellikulangara Post, Thrissur District, Town/Village - Vellikulangara, District-THRISSUR, State-Kerala, Pincode - 680699

को अनुज्ञप्ति अनुदत्त की जाती है।

2. अनुज्ञप्तिधारी की प्रास्थिति | Status of licensee : Partnership Firm

3. अनुज्ञप्ति निम्नलिखित प्रयोजनों के लिए विधिमान्य है।

possess for use of Nitrate Mixture, Safety Fuse, Electric and/or Ordinary Detonators, - के उपयोग के लिए

Licence is valid only for the following purpose.

4. अनुज्ञप्ति विस्फोटकों के निम्नलिखित किस्मों, प्रकार और मात्रा के लिए विधिमान्य है।

Licence is valid for the following kinds and quantity of explosives: -- (क) (a)

क्र. सं.	नाम और विवरण	वर्ग और प्रभाग	उप-प्रभाग	मात्रा किसी एक समय में
Sr. No.	Name and Description	Class & Division	Sub-division	Quantity at any one time
1.	Nitrate Mixture	2,0	0	200 Kg.
2.	Safety Fuse	6,1	0	2000 Mtrs
3.	Electric and/or Ordinary Detonators	6,3	0	2000 Nos.

(ख) किसी एक कैलेंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा [अनुच्छेद 3(ख) और (ग) के अधीन अनुज्ञप्ति के लिए]

(b) Quantity of explosives to be purchased in a calendar month [applicable for licence under article 3(b) and (c)] : 20 times as above.

5. निम्नलिखित रेखाचित्र (रेखाचित्रों) से अनुज्ञप्त परिसर की पुष्टि होती है। रेखाचित्र क्र. (Drawing No.) E/SC/KL/22/862(E40290)

The licensed premises shall conform to the following drawing(s): दिनांक (Dated) 11/07/2019

6. अनुज्ञप्ति परिसर निम्नलिखित पते पर स्थित हैं। The licensed premises are situated at following address:

Survey No(s). 1982, ग्राम (Town/Village): Vellikulangara
 जिला (District) THRISSUR राज्य (State) Kerala पोलिस थाना (Police Station): Vellikulangara
 दूरभाष (Phone) ई. मेल (E-Mail) पिनकोड (Pincode) फैक्स (Fax)

7. अनुज्ञप्ति परिसर में निम्नलिखित सुविधाएं अंतर्विष्ट हैं।
The licensed premises consist of following facilities. Portable Explosives Magazine of H type fabricated by M/S. Industrial Explosives P Ltd, Nagpur and T type fabricated by M/S. Nobel Ehgg & Fabrication Unit.

8. अनुज्ञप्ति समय - समय पर यथासंशोधित विस्फोटक अधिनियम, 1884 और उनके अधीन विरचित विस्फोटक नियम, 2004 के उपबंधों, शर्तों और अतिरिक्त शर्तों और निम्नलिखित उपाबंधों के अधीन रहते हुए अनुदत्त की जाती है।

The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional conditions and the following Annexures.

- उपर्युक्त क्रम सं. 5 में यथा कथित रेखाचित्र (स्थान, सन्निर्माण संबंधी और अन्य विवरण दर्शित करते हुए)।
Drawings (showing site, constructional and other details) as stated in serial No. 5 above.
- अनुज्ञप्ति प्राधिकारी द्वारा हस्ताक्षरित इस अनुज्ञप्ति की शर्तें और अतिरिक्त शर्तें।
Conditions and Additional Conditions of this licence signed by the licensing authority.
- दूरी प्ररूप DE-2 | Distance Form DE-2.

9. यह अनुज्ञप्ति तारीख 31 मार्च 2009 तक विधिमान्य रहेगी। This licence shall remain valid till 31st day of March 2009.

<http://10.0.1.11/IntExp/ExplosivesLicenceLE3Hindi.asp?LetterGeneratedYN=Y>

11-07-2019

Page 2 of 2

यह अनुज्ञप्ति, अधिनियम या उसके अधीन विरचित नियमों या अनुसूची V के भाग 4 के प्रति निर्दिष्ट सेट-VII के अधीन तथा उपवर्णित इस अनुज्ञप्ति की शर्तों का अधिक्रमण करने या यदि अनुज्ञप्त परिसर योजना या उससे संलग्न उपबंध में दर्शित विवरण के अनुरूप नहीं पाए जाने पर निलंबित या प्रतिसंहत की जा सकती है, जहां वह लागू हो।
This licence is liable to be suspended or revoked for any violation of the Act or Rules framed there under or the conditions of this licence as set forth under Set VIII, wherever applicable, referred to in Part 4 of Schedule V or if the licensed premises are not found conforming to the description shown in the plans and Annexure attached hereto.

तारीख | The Date - 01/03/2007

संयुक्त मुख्य विस्फोटक नियंत्रक | Joint Chief Controller of
Explosives
South Circle, Chennai

Amendments :

- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 05/09/2011
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 10/09/2013
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 30/11/2017
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 31/01/2018

Transfers :

- Change in Licensee Name/Address/Status dated : 11/07/2019

नवीनीकरण के पृष्ठांकन के लिए स्थान
Space for Endorsement of Renewal

नवीकरण की तारीख Date of Renewal	समाप्ति की तारीख Date of Expiry	अनुज्ञापन प्राधिकारी के हस्ताक्षर और स्टाम्प Signature of licensing authority and stamp
13/02/2019	31/03/2024	Sd/- Dy. Chief Controller of Explosives, Ernakulam

कानूनी चेतावनी : विस्फोटकों को गलत ढंग से चलाने या उनका दुरुपयोग विधि के अधीन गंभीर दांडिक अपराध होगा।
Statutory Warning : Mishandling and misuse of explosives shall constitute serious criminal offence under the law.

<http://10.0.1.11/IntExp/ExplosivesLicenceLE3Hindi.asp?LetterGeneratedYN=Y>

11-07-2019

License - explosive

Annexure No. 4



ലൈസൻസ് നമ്പർ : എ3-1105-1106/2019-20 - 2 തീയതി : 01/04/2019

മറ്റത്തൂർ ഗ്രാമപഞ്ചായത്തിൽനിന്നും
1994ലെ കേരള പഞ്ചായത്ത് രാജ് ആക്ട് (1994ലെ 13) 232, 233, 234, 254 എന്നീ വകുപ്പുകളും
അതേ തുടർനിയമ ചട്ടങ്ങളും അനുസരിച്ച്
പാകുറികൾ, വ്യാപാരങ്ങളും, സംരംഭങ്ങളും, മറ്റു സേവനങ്ങൾ എന്നിവയ്ക്കായി നൽകുന്ന

ലൈസൻസ്

ലൈസൻസിയുടെ പേരും മേൽവിലാസവും	മാത്യു.എം.പത്രോസ്, മാനേജിംഗ് പാർട്ണർ, ബ്ലൂ മൗണ്ട് ഗ്രാനൈറ്റ്സ്, വെള്ളിക്കുളങ്ങര	
സ്ഥാപനത്തിന്റെ പേരും സ്ഥലനാമവും	ബ്ലൂ മൗണ്ട് ഗ്രാനൈറ്റ്സ്, വെള്ളിക്കുളങ്ങര	
ലൈസൻസ് നൽകിയിട്ടുള്ള പ്രവർത്തനങ്ങൾ	300HP ഉപയോഗിച്ച് കരിങ്കല്ല് ക്വാറി നടത്തുന്നതിന്	
കെട്ടിടത്തിന്റെ നമ്പരും വാർഡ് നമ്പരും	10 / 75	
ലൈസൻസ് കാലയളവ്	01-04-2019 മുതൽ 31-03-2020 വരെ	
ഈടാക്കിയ ലൈസൻസ് ഫീസ്	6,500 + 300/- രൂപ	രസീത് നമ്പർ 118030108913 തീയതി 12-03-2019
	തൊഴിൽക്കരം	1250 + 1250 Rt.No.118030108914 Dt : 12-03-2019
ലൈസൻസ് അനുവദിക്കുന്നതിനായി ഹാജരാക്കിയ നിരാക്ഷേപപത്രങ്ങളുടെ വിശദാംശങ്ങൾ (നമ്പർ, തീയതി, കാലയളവ്, നൽകിയ അധികാരസ്ഥാനം)	1. മലിനീകരണനിയന്ത്രണ ബോർഡിൽനിന്നുള്ള അനുമതി ... PCB/TSR/IC/5069/20018 ... 12-01-2018 (30.4.2020) 2. ജില്ലാ കളക്ടറുടെ / ചീഫ് കൺട്രോളർ ഓഫ് എക്സ്പ്ലോസിവിന്റെ അനുവാദപത്രം (31.03.2024) 3. മൈനിംഗ് & ജിയോളജി വകുപ്പിൽനിന്നുള്ള അനുമതി (27.02.2023) 4. സ്റ്റേറ്റ് എൻവയൺമെന്റൽ ഇംപാക്ട് അസസ്മെന്റ് അതോറിറ്റിയുടെ അനുമതി (04.02.2021)	



(ഓഫീസ് മുദ്ര)



മറ്റത്തൂർ ഗ്രാമപഞ്ചായത്ത്
 Mattathur P.O., Thrissur (Dist. KERALA)
 Mattathur Gram Panchayat
 Mob. 9446046125, Ph: 0480 2740534

License Gram Panchayat

Annexure No. 5**PROCEEDINGS OF THE DIRECTOR OF MINING & GEOLOGY**

Sub: Mining & Geology - Mines & Minerals - Minor Minerals – Granite Building Stone – Quarrying Lease to M/s Blue Mountain Granites, Vellikulangara P. O, Thrissur District – 680 699 (Represented by its Managing Partner, Shri. Mathew. M. Pathrose, S/o Pathrose, Residing at Madappillil House, Malayidomthuruth, Edathala, Kunnathunad, Ernakulam District—683561)- sanctioned-orders –issued.

- Ref.** 1. Application dtd. 17/08/2017 from M/s Blue Mountain Granites, Vellikulangara P. O, Thrissur District – 680 699 (Represented by its Managing Partner, Shri. Mathew. M. Pathrose, S/o Pathrose, residing at Madappillil House, Malayidomthuruth, Edathala, Kunnathunad, Ernakulam District—683561)
2. Letter No:2112/C2/TDO/2017 dtd 27/11/2017 & 21/12/2017 from the Senior Geologist, District Office, Thrissur.
3. Letter of Intent No. 10799/M3/2017 dtd 27/12/2017
4. Pro.order No. 626/SEIAA/EC1/4809/2014 dated 05/02/2016 (E.C No. 12/2016) & Erratum Order No. 626/EC1/4809/2014/SEIAA dated 24/01/2017 of the State Environment Impact Assessment Authority, Kerala
5. Mines and Minerals (Development & Regulation) Act, 1957.
6. Kerala Minor Mineral Concession Rules, 2015.
7. Kerala Minerals (Prevention of Illegal Mining, Storage & Transportation) Rules 2015.

No.770/2017-18/10799/M3/2017/DMG

Dated, Thiruvananthapuram 21/02/2018

ORDER

A quarrying lease is granted to M/s Blue Mountain Granites, Vellikulangara P. O, Thrissur District – 680 699 (Represented by its Managing Partner, Shri. Mathew. M. Pathrose, S/o Pathrose, residing at Madappillil House, Malayidomthuruth, Edathala, Kunnathunad, Ernakulam District—683561) to quarry Granite (Building Stone) over an area of 3.0352 Hectares of land comprised in Survey No. 1982 of Vellikulangara Village, Chalakkudy Taluk, Thrissur District for Ten (10) years from the date of execution of the quarrying lease deed under the Kerala Minor Mineral Concession Rules, 2015 and as per the survey map issued by the Tahsildar (LR), Chalakkudy and the approved Mining Plan and environmental clearance submitted by the applicant subject to the under mentioned conditions.

1. Royalty is payable to Government as per Rule 32 of the Kerala Minor Mineral Concession Rules, 2015 in respect of minor mineral quarried and moved out of the quarry subject to revision from time to time on the basis of amendments to the schedule I of the said Rules.
2. Dead rent is realizable under 40(1)(d) of the said rules subject to revision from time to time on the basis of amendments to the schedule II of the said rules.
3. Surface rent realizable under 40(1)(e) of the said rules will be equal to the land revenue assessed by the Revenue Department subject to revision from time to time on the basis of the land revenue.
4. The lessee shall execute a quarrying lease deed within a period of six months from the date of this order in form 'H' as per Rule 43 of the Kerala Minor Mineral Concession Rules, 2015.
5. The lessee shall also deposit an amount of Rs 10,000/- (Rupees Ten Thousand only) per hectare as security deposit for the observance of the terms and conditions of the lease before the deed is executed as per rule 42 of the said rules. The lessee shall commence quarrying operation only after the deed is executed and registered.
6. The quarrying area shall be demarcated and boundary stones fixed at the lessee's expenses before execution of the quarrying lease deed.
7. The lessee shall not win and dispose of any type of dimension and decorative stones from the area over which the quarrying lease has been sanctioned on the strength of this order.
8. The production of Granite (Building Stone) from the area covered under this grant shall be subject to the quantity specified in the Mining Plan submitted by the lessee and the same is restricted to 79, 195 Metric Tonnes per year

9. (i) The lessee shall erect a notice board in Malayalam at a prominent place with a minimum size of 1 metre X 1.5 metres in a metallic board near to the entrance of the quarry to the effect that it shall contain the name and address of the permit holder, mineral concession number and date, the mineral to be extracted, permit number and date and its date of expiry, quantity of extraction permitted (if applicable). Area of extraction permitted, explosives used (if any), etc.
- (ii) The lessee shall erect a warning board with danger sign regarding operation of the quarry, 100 metres away by the side of the road leading to it.
10. The lessee shall fence the lease area before the commencement of the quarrying operation for preventing accidents by falling of human beings, animals, vehicles or any materials into the quarry. The lessee should take effective preventive measures for the safety of labourers as well as the general public.
11. The lessee shall leave a distance of 7.5m from the boundaries of adjacent properties including government puramboke land while carrying out quarrying operations.
12. The lessee shall not assign, sublet or transfer his lease or any right or interest therein to any person without previous permission of the Director of Mining & Geology.
13. The lessee shall pay tax related to Revenue Department, if any, as directed by them and the details should be furnished to the Geologist periodically.
14. The lessee shall operate the quarry in accordance with the condition stipulated in the environmental clearance and mining plan submitted by them.
15. The lessee shall obtain all other statutory licences/clearances/No Objection Certificates from other authorities concerned including Explosive licence, consent from Pollution Control Board and D & O licence from the Local Self Government Department concerned.
16. The lessee shall produce scheme of mining before completion of five years of operation of the quarry.
17. The lessee shall produce a financial guarantee for Rs. 1, 00, 000/- (Rupees one lakh only) as stipulated in rule 62 of KMMC Rules 2015, before execution of lease deed.
18. The lessee shall pay 10% of the amount of royalty/consolidated royalty as the case may be paid by them, being the quarry safety fund in addition to the royalty/consolidated royalty, as per rule 63 of KMMC rules, 2015.
19. The lessee shall carry out mining operations as per the approved mining plan.
20. The lessee shall renew Environmental Clearance on or before 04/02/2021 for the operation of the quarry for the remaining period.
21. The quarrying permit granted from the district office, if any, in the area of this quarrying lease is hereby stands cancelled from the date of this order.
22. The lessee shall comply all the conditions maintained in the statutory licenses. The terms and conditions stated in this order will be subject to such further modifications as may be made by the State Government from time to time.

Sd/-

C. K. BAIJU

DIRECTOR OF MINING & GEOLOGY (I/C)

To

M/s Blue Mountain Granites, Vellikulangara P. O, Thrissur District – 680 699
(Represented by its Managing Partner, Shri. Mathew. M. Pathrose, S/o Pathrose,
Residing at Madappillil House, Malayidomthuruth, Edathala, Kunnathunad, Ernakulam
District – 683561)

Copy to:




1. The Director of Mines Safety,
No.5, 100FT, Road, 17th Main, Koramangala 4th Block
Bengaluru, Karnataka – 560034
2. The District Collector, Thrissur
3. The Sr. Geologist, District Office, Thrissur
4. The Tahsildar, Chalakkudy
5. Stock File (2), File copy

BY ORDER


JUNIOR SUPERINTENDENT


Lease order

Annexure No. 6

Cert No. FRE /3779

भारत सरकार/Government of India
 खान अधिनियम, 1952/Mines Act, 1952
 खनन परीक्षा बोर्ड/Board of Mining Examinations

फोरमैन सक्षमता प्रमाण-पत्र
FOREMAN'S CERTIFICATE OF COMPETENCY
 (केवल ओपनकास्ट खानों तक सीमित)
 (Restricted to mines having opencast working only)
 (धात्विकीय खान विनियम, 1961 के अन्तर्गत)
 (Under the Metalliferous Mines Regulations, 1961)

श्री कल्लेम्पुडी नागेन्द्र सुपुत्र कल्लेम्पुडी राजुबाबु
 जिनका जन्म तिथि 20.08.1993 है, को विहित अर्हताएं एवं अनुभव प्राप्त करने
 का सन्तोषजनक प्रमाण प्रस्तुत करने पर एतद्वारा केवल ओपनकास्ट धात्विकीय खानों के लिए फोरमैन सक्षमता
 प्रमाण-पत्र प्रदान किया जाता है। यह प्रमाण-पत्र दिनांक 07.07.2015 से प्रभावी है।




Shri Kallempudi Nagendra son of Kallempudi Rajubabu
 born on 20th August, 1993 having given satisfactory evidence of possessing
 the prescribed qualifications and experience is hereby granted FORMAN'S CERTIFICATE
 OF COMPETENCY for metalliferous mine having opencast workings only. This certificate is
 effective from 07.07.2015

Self attested
K. Nagendra

सचिव
 खनन परीक्षा बोर्ड
 Secretary
 Board of Mining
 Examinations

अध्यक्ष
 खनन परीक्षा बोर्ड
 Chairman
 Board of Mining
 Examinations

Signed and Sealed
 Date 04.03.16







Cert No. SMUT/2039/
 भारत सरकार/Government of India
 मिन अक्ट/1952/Mines Act, 1952
 खनन परीक्षा बोर्ड/Board of Mining Examinations


द्वितीय श्रेणी प्रबंधक सक्षमता प्रमाण-पत्र
SECOND CLASS MANAGER'S CERTIFICATE OF COMPETENCY
 (धातुलब्ध खान विनियम, 1961 के अन्तर्गत)
 (Under the Metalliferous Mines Regulations, 1961)

श्री बासवराज स्वामी सपुत्र शरणा बासव स्वामी
 जिनकी जन्म तिथि 12.01.1969 है, जो निम्नलिखित आयोग/पत्र अनुसार प्राप्त करने
 का सन्तोषजनक प्रमाण प्रस्तुत करने पर एतद्वारा आवेदनार्थी को प्रत्येक द्वितीय श्रेणी प्रबंधक
 सक्षमता प्रमाण-पत्र प्रदान किया जाता है। यह प्रमाण-पत्र दिनांक 12.11.2013 से प्रभावी है।

Shri Basavaraj Swamy son of Sharan Basav Swamy
 born on 12th January, 1969 having given satisfactory evidence of possessing
 the prescribed qualifications and experience is hereby granted SECOND CLASS MANAGER'S
 CERTIFICATE OF COMPETENCY to manage the metalliferous mines. This certificate is
 effective from 12.11.2013






 सचिव
 खनन परीक्षा बोर्ड
 Secretary
 Board of Mining
 Examinations


 अध्यक्ष
 खनन परीक्षा बोर्ड
 Chairman
 Board of Mining
 Examinations


Signed and Sealed
 Date 20/11/2014

Board
 Self attested

Inst. Code 526	Establishment: 2000	Ph. 08153 - 270975 08153 - 270975
Joint Development and Benevolent Educational Trust (R)		
	<h2 style="margin: 0;">ಶ್ರೀ ವಿನಾಯಕ ಪಾಲಿಟೆಕ್ನಿಕ್</h2> <h2 style="margin: 0;">SHREE VINAYAKA POLYTECHNIC</h2> <p style="margin: 0;">Recognised by Govt. of Karnataka. Affiliated by AICTE F.No. 770-53-274/SWRO/2009 Date 17 July Behind St. John's Church, Near School of Mines, Coromandel Post, K.G.F. - 563 118. Kolar Dist. Karnataka. e-mail: msvgi@yahoo.com Website: shreevinayakagroup.org</p>	
Ref. No SVP /BTE/ 526MN12026	Date... 19/03/2018	
<h3 style="margin: 0;">ತಾತ್ಕಾಲಿಕ ಡಿಪ್ಲೋಮಾ ಪ್ರಮಾಣ ಪತ್ರ</h3> <h3 style="margin: 0;">Provisional Diploma Certificate</h3>		
<p>This is to Certify that Sri <u>SARAVANAN. P</u></p> <p>ಈ ಸಂಸ್ಥೆಯ ವಿದ್ಯಾರ್ಥಿಯಾದ ಶ್ರೀ.....</p> <p>a Students of this Institute on has passed..... <u>Diploma</u></p> <p>ರವರು:..... ನೇಮ ವರ್ಷದಲ್ಲಿ ನಡೆದ</p> <p>in..... <u>MINING</u>..... Engineering of Board of Technical</p> <p>ತಾಂತ್ರಿಕ ಪರೀಕ್ಷಾ ಮಂಡಲಿಯ..... ಇಂಜಿನಿಯರಿಂಗ್ ವಿಷಯದಲ್ಲಿ</p> <p>Examination held during... <u>Nov/Dec 2017</u> with Reg. No. <u>526MN12026</u></p> <p>ನೋಂದಣೆ ಕ್ರಮಾಂಕದೊಡನೆ..... ತೇರ್ಗಡೆಯಾಗಿರುತ್ತಾರೆಯೆಂದು ಅವರನ್ನು</p> <p>and has been Placed in..... <u>Second</u> CLASS.</p> <p>ನೇ ವರ್ಗದಲ್ಲಿ ಇರಿಸಲಾಗಿದೆಯೆಂದು ಪ್ರಮಾಣ ಪಡಿಸಲಾಗಿದೆ.</p>		
<p>During the period of his stay in the Institution his Character and Conduct were found</p> <p><u>Good.</u></p>		
	<p><i>Selva Hantey</i></p> <p><i>Lana</i></p>	<p><i>Saethi S</i></p> <p>PRINCIPAL</p> <p>Sri Vinayaka Polytechnic Coromandel Post, K.G.F</p>

Certificate of Qualified Persons

Annexure No. 7



Advertisement in two news papers

Annexure No. 8

**TEST REPORT**

Test Report No: 20191113/R054	Date: 16.11.2019	Page 1 of 1
-------------------------------	------------------	-------------

CUSTOMER DETAILS

Customer Details	Name & Address	M/s Blue Mountain Granites Vellikulangara, Chalakudy Thrissur District
Location of Site	Survey No	1982
	Village	Vellikulangara
	Taluk	Chalakudy
	District	Thrissur
	State	Kerala
Customer Reference	---	

SAMPLE DETAILS

Source of Sample	Ambient Air	Sample Code	20191113/S054
Location of Monitoring	East side boundary	Sampled By	Laboratory
Date of Monitoring	13.11.2019	Test Started On	14.11.2019
Sample Received On	14.11.2019	Test Completed On	16.11.2019
Humidity	54 %	Sampling Procedure	IS 5182 Part V & XIV

SL NO	TEST PARAMETER	TEST METHOD	UNIT	RESULTS	NAAQ STANDARD
01	Particulate matter (PM ₁₀)	IS 5182 Part 23: 2006 RA 2017	µg/m ³	56.2	100
02	Particulate matter (PM _{2.5})	EPA 40 CFR Part 50 Appendix – L	µg/m ³	25.1	60.0
03	Sulphur dioxide (SO ₂)	IS 5182 Part 2: 2001 RA 2017	µg/m ³	< 2.00	80.0
04	Nitrogen dioxide (NO ₂)	IS 5182 Part 6: 2006 RA 2017	µg/m ³	< 2.00	80.0

End of Report

For and on behalf of
Standard^S Environmental & Analytical Laboratories

Authorized Signatory
Laiju P. N.
Laboratory Head

Standard^S Environmental & Analytical Laboratories

Accreditation and Approval: NABL as per ISO 17025: 2017 & "A" Grade Laboratory of KSPCB
K.J. Tower, Pathalam, Udyogamandal P.O., Ernakulam-683 501, Tel. 0484-2546660, 93 87 27 24 02, 90 74 34 14 43
Web: www.sealabs.in, E-mail: sealab@gmail.com

Ambient Air

Annexure No.9

**TEST REPORT**

Test Report No: 20191113/R055	Date: 16.11.2019	Page 1 of 1
-------------------------------	------------------	-------------

CUSTOMER DETAILS		
Customer Details	Name & Address	M/s Blue Mountain Granites Vellikulangara, Chalakudy Thrissur District
Location of Site	Survey No	1982
	Village	Vellikulangara
	Taluk	Chalakudy
	District	Thrissur
	State	Kerala
Customer Reference		---
SAMPLE DETAILS		
Source of Sample		Ambient Sound Level
Sample Code		20191113/S055
Location of Monitoring		North side Boundary
Date of Monitoring		13.11.2019
Method		IS 9989:1981 RA:2008

DAYTIME	RESULT	NIGHTTIME	RESULT
06.00 Hrs	39.7 dB (A)	23.00 Hrs	35.8 dB (A)
07.00 Hrs	42.5 dB (A)	00.00 Hrs	38.4 dB (A)
08.00 Hrs	47.0 dB (A)	01.00 Hrs	39.1 dB (A)
09.00 Hrs	50.7 dB (A)	02.00 Hrs	38.7 dB (A)
10.00 Hrs	53.2 dB (A)	03.00 Hrs	39.5 dB (A)
11.00 Hrs	56.4 dB (A)	04.00 Hrs	38.4 dB (A)
12.00 Hrs	53.6 dB (A)	05.00 Hrs	40.2 dB (A)
13.00 Hrs	52.8 dB (A)	RESULTS	
14.00 Hrs	53.2 dB (A)		
15.00 Hrs	53.6 dB (A)		
16.00 Hrs	54.8 dB (A)		
17.00 Hrs	55.2 dB (A)		
18.00 Hrs	49.5 dB (A)	Noise Level (Leq) Daytime	51.7 dB (A)
19.00 Hrs	45.8 dB (A)		
20.00 Hrs	41.7 dB (A)		
21.00 Hrs	41.2 dB (A)		
22.00 Hrs	38.4 dB (A)		
		Noise Level (Leq) Nighttime	38.6 dB (A)

End of Report

For and on behalf of
Standard^S Environmental & Analytical Laboratories

Authorized Signatory
Laju P. N.
Laboratory Head

Standard^S Environmental & Analytical Laboratories

Accreditation and Approval: NABL as per ISO 17025: 2017 & "A" Grade Laboratory of KSPCB
K.J. Tower, Pathalam, Udyogamandal P.O., Ernakulam-683 501, Tel. 0484-2546660, 93 87 27 24 02, 90 74 34 14 43
Web: www.sealabs.in, E-mail: sealab@gmail.com

Result of ambient sound

Annexure No.10

**TEST REPORT**

Test Report No: 20191113/R056	Date: 16.11.2019	Page 1 of 1
-------------------------------	------------------	-------------

CUSTOMER DETAILS			
Customer Details	Name & Address	M/s Blue Mountain Granites Vellikulangara, Chalakudy Thrissur District	
Location of Site	Survey No	1982	
	Village	Vellikulangara	
	Taluk	Chalakudy	
	District	Thrissur	
	State	Kerala	
Customer Reference		---	
SAMPLE DETAILS			
Sample Code	20191113/S056	Sample Received On	14.11.2019
Sample Name	Water	Sampling Procedure	---
Sample Description	Bore well	Sampling Location	100 M away from the South - East direction of the Quarry
Identification By Customer	---	Sample Condition	Good
Sampled On	---	Test Started On	14.11.2019
Sampled By	Customer	Test Completed On	16.11.2019

SL NO	TEST PARAMETER	TEST METHOD	UNITS	RESULT	ACCEPTABLE LIMIT (IS 10500 - 2012)
01	Colour	IS 3025 Part 4:1983 RA 2017	Hazen	1.00	5.00 (Max)
02	Odour	IS 3025 Part 5:1983 RA 2017	---	Agreeable	Agreeable
03	Turbidity	IS 3025 Part 10:1984 RA 2017	NTU	< 0.10	1.00 (Max)
04	pH	IS 3025 Part 11:1983 RA 2017	---	7.23	6.50 - 8.50
05	Conductivity	IS 3025 Part 14:1984 RA 2013	μS/cm	136	---
06	Total Dissolved Solids	IS 3025 Part 16:1984 RA 2017	mg/L	88.0	500 (Max)
07	Total Hardness (as CaCO ₃)	IS 3025 Part 21:2009 RA 2014	mg/L	32.3	200 (Max)
08	Calcium (as Ca)	IS 3025 Part 40:1991 RA 2014	mg/L	8.09	75.0 (Max)
09	Magnesium (as Mg)	IS 3025 Part 46:1994 RA 2014	mg/L	2.95	30.0 (Max)
10	Chloride (as Cl)	IS 3025 Part 32:1988 RA 2014	mg/L	17.1	250 (Max)
11	Total Alkalinity (as CaCO ₃)	IS 3025 Part 23:1986 RA 2014	mg/L	30.3	200 (Max)
12	Iron (as Fe)	IS 3025 Part 53:2003 RA 2014	mg/L	0.20	1.00 (Max)
13	Sulphate (SO ₄)	IS 3025 Part 24:1986 RA 2014	mg/L	10.4	200 (Max)
14	Total Coliform Bacteria	IS 15185 : 2016	---	Absent/100 ml	Absent/100 ml
15	E coli	IS 15185 : 2016	---	Absent/100 ml	Absent/100 ml

End of Report

For and on behalf of
StandardS Environmental & Analytical Laboratories

Authorized Signatory
Laiju P. N.
Laboratory Head

StandardS Environmental & Analytical Laboratories

Accreditation and Approval: NABL as per ISO 17025: 2017 & "A" Grade Laboratory of KSPCB
K.J. Tower, Pathalam, Udyogamandal P.O., Ernakulam-683 501, Tel. 0484-2546660, 93 87 27 24 02, 90 74 34 14 43
Web: www.sealabs.in, E-mail: sealab@gmail.com

Result of drinking water